
ALVERSTONE RUSSET CRE 98- 200 X INNOVATOR





Production advice ware potatoes The Netherlands FRENCH FRIES

- Suitable for QSR
- Consistent low sugars
- Very crispy texture
- PCN resistance to Pa2 and Pa3
- Suitable for long term storage



Agronomic characters

Maturity	61	Medium late
Dormancy	60	Medium
Yield mature	104	Moderate high
Tuber size	82	Large
Tuber shape		Oval / Long oval
Number of tubers		12-14
Skin colour		Brown = russet
Flesh after cooking		White
Cooking type		BC - Mealy
Dry matter content/Star	rch	22,7% / 16,7%
UWW/Specific gravity		420 / 1,091
Internal bruising	11	Quite sensitive
Metribuzin sensitivity	56	
Little Potato disorder	90	••••



Plant populations

	F	Row distance					
Seed size	Plant population/ha	75 cm	90 cm				
28/35	45.000	30	25				
35/45	40.000	33	28				
35/50	36.000	37	31				
45/50	34.000	39	33				
50/60 cut seed	40.000	33	28				
Plant depth: no	rmal.						
Always check the tuber count for an accurate							

Always check the tuber count for an accurate calculation.

Resistances

* HZPC own analysis/no official analysis

Foliage Tuber E Alterna Commo Powder Spraing PVY Yntn tul	Blight ria on so ry sca	t :ab	40 75 69 51 59 85 33 99				
PCN R	esist	ance		Wart	disea	se	
Ro1/4	*1	• • • •		F1	*10	• •	 •
Ro2/3				F2	*1	• •	
Ro5				F6	*1	• •	
Pa2	*9	••••	•	F18	*1	• •	
Pa3	*9	••••	•				

Fertilizer

- Adapt fertilization to soil analysis.
- Nitrogen (N): 275 kg N/ha inclusive of soil supply.
- Apply 2/3 before planting and 1/3 as top dressing.
- Phosphate (P) and Potassium (K): according to standard advice.
- Manganese and magnesium will encourage a strong foliage and prevent premature senescence.

ALVERSTONE RUSSET

CRE 98- 200 X INNOVATOR





Production advice ware potatoes The Netherlands FRENCH FRIES



Pre-treatment and planting

- Allow the seed to acclimatize to the local conditions before planting.
- ALVERSTONE RUSSET reacts well to the cutting of seed. Recommended only with seed size above 50mm. Optimum result from 3-4 weeks prior to planting.
- Always treat ALVERSTONE RUSSET seeds against Rhizoctonia.
- Avoid soils with high powdery scab risk.
- On light soils with free living nematodes there is a higher risk of spraing. Apply a nematicide on these soils.
- Pre-sprouting is not necessary, ALVERSTONE RUSSET can be planted with small white buds.
- Wider planting is advised to get bigger size tubers.
- Apply a soil treatment against Rhizoctonia on sensitive soils.



Growing attention points

- Emergence is uniform with a good foliage development.
- ALVERSTONE RUSSET has a good cover crop.
- ALVERSTONE RUSSET grows spread in the ridge.
- ALVERSTONE RUSSET is guite sensitive to metribuzin, only use it pre-emergence.
- Use a robust Phytophthora programme, to prevent foliage and tuber blight
- ALVERSTONE RUSSET is susceptible to Alternaria. Start treatments at flowering time.



Haulm killing and harvest

- Ensure the crop is naturally mature before haulm killing.
- Tubers are big. Harvest and store with care to avoid damage and bruising.



Storage

- Take care of the wound healing period.
- Store at a stable 7 °C.
- For long term storage it is necessary to use sprout inhibitors.